

This PDF is generated from: <https://ferraxegalicia.es/Wed-04-May-2016-19212.html>

Title: Uninterruptible Power Supply Uganda

Generated on: 2026-02-05 00:43:46

Copyright (C) 2026 GALICIA CONTAINERS. All rights reserved.

For the latest updates and more information, visit our website: <https://ferraxegalicia.es>

I understand these are uninterruptible sleep states often related to waiting for data from hardware such as a hard disk. This is a production server so rebooting is a very last ...

When looking at the process with "ps ax" the stat column is "Dl" which means "uninterruptible sleep (usually IO)". Is it possible to find out more details on what the process is ...

As you could read from that answer, setting the current process state to TASK_UNINTERRUPTIBLE is needed for make_schedule() call, performed by that thread, to ...

For Linux "defunct" and "zombie" processes are the same. From man ps: Processes marked <"defunct"> are dead processes (so-called "zombies") that remain because ...

Yes, you must call set_current_state() before calling schedule(), because otherwise the scheduler will not remove the task from the run queue (if you just want to ...

I have a VirtualBox process hanging around which I tried to kill (KILL/ABORT) but without success. The parent pid is 1 (init). top shows the process as D which is documented as ...

An uninterruptible process is a process which happens to be in a system call (kernel function) that cannot be interrupted by a signal. To understand what that means, you ...

A process performing I/O will be put in D state (uninterruptable sleep), which frees the CPU until there is a hardware interrupt which tells the CPU to return to executing the ...

Generally speaking, uninterruptible sleep states are considered undesirable. Under normal circumstances, they cannot be triggered by user applications except by accident (e.g. ...

Web: <https://ferraxegalicia.es>

